



**BALTIC SEA  
HYDROGRAPHIC  
COMMISSION**



**IHO**

# Baltic Sea Chart Datum 2000

**BSHC Chart Datum, Water level and Currents**

**Working Group**

2024-04-25

Thomas Hammarklint



# Baltic Sea Hydrographic Commission (BSHC)



## BALTIC SEA HYDROGRAPHIC COMMISSION



[Home](#) [About](#) [Services](#) [Relations](#) [Working Groups](#) [Meetings](#) [Contact](#)



### The Baltic Sea Hydrographic Commission,

which is an integrant part of the International Hydrographic Organisation (IHO), promotes the technical co-operation in the domain of hydrographic surveying, marine cartography and nautical information among the neighboring countries of the Baltic Sea region.

The main objectives of the Commission are the coordination of the production of the Baltic Sea INT Charts, the coordination of hydrographic re-surveys, harmonization of chart datums, harmonization of Baltic Sea ENCs, and the exchange of information and the harmonization of practices with regard to various issues related to hydrography.

The most recent development is the [Baltic Sea Bathymetric Database](#) – accessible via this portal.

#### International Hydrographic Organization

The International Hydrographic Organization is an intergovernmental consultative and technical organization that was established in 1921 to support safety of navigation and the protection of the marine environment. The object of the Organization is to bring about:

- The coordination of the activities of national hydrographic offices
- The greatest possible uniformity in nautical charts and documents
- The adoption of reliable and efficient methods of carrying out and exploiting hydrographic surveys
- The development of the sciences in the field of hydrography and the techniques employed in descriptive oceanography

You are here: Home

Copyright 2013–2019 Baltic Sea Hydrographic Commission

# Chart Datum, Water level and Currents Working Group (CDWCWG)

## Chart Datum, Water level and Currents Working Group (CDWCWG)

“To implement a common reference system, S-104 and S-111 in the Baltic Sea”




Photo: Chart Datum, Water level and Currents Working Group 1st meeting, 26-27 March 2024, Helsinki, Finland

<https://www.bshc.pro/working-groups/cdwcwg>


### Members of CDWCWG:

Denmark	Mr Nikolaj Møller
Denmark	Mr Kristian Villadsen Kristmar
Estonia	Mrs Gabriela Kotsulim
Finland	Mr Jyrki Mononen
Germany	Dr Patrick Westfeld
Latvia	Mr Bruno Špēls
Lithuania	Mr Mindaugas Zakarauskas
Poland	Mr Witold Stasiak
Poland	Mrs Alicja Olszewska
Russia	Mr Leonid Shalnov
Russia	Dr Sergey V. Reshetniak
Sweden	Mr Thomas Hammarklint (Chair)
Sweden	Mr Lars Jakobsson
Sweden	Mr Henrik Tengbert

### Observers and Experts:

Estonia	Prof. Artu Ellmann
Estonia	Dr Sander Varbla
Finland	Mr Jarmo Mäkinen
Finland	Dr Mirjam Bilker-Koivula
Finland	Dr Timo Saari
Finland	Mrs Anni Jokiniemi
Germany	Dr Gunter Liebsch
Germany	Dr Joachim Schwabe
Latvia	Mr Armands Murans
Latvia	Mr Kristis Dzenis
Lithuania	Mr Emilis Tertelis
Lithuania	Mr Romuald Obuchovski
Norway	Mr Aksel Voldsund
Poland	Mr Krzysztof Pyrchla
Poland	Mrs Małgorzata Pająk
Poland	Dr Monika Wilde-Piórko
Poland	Dr Małgorzata Szelachowska
Sweden	Dr Jonas Ågren
Sweden	Dr Per-Anders Olsson
Sweden	Mrs Johanna Linders

# New reference level



**The water level remains!**

# Baltic Sea Chart Datum 2000 (BSCD2000)

## ➤ **Definition:**

The datum refers to each Baltic country's realization of the European Vertical Reference System (EVRS) with land-uplift epoch 2000, which is connected to the Normaal Amsterdams Peil (NAP).

## ➤ **Justification:**

The Baltic Sea is an international shallow, non-tidal area in the northern part of Europe with dense traffic. IHO BSHC has approved the name and the adoption of the Baltic Sea Chart Datum 2000 ([specification](#)).

## ➤ **Height systems used as national realization of BSCD2000 (EVRS-based):**

Sweden RH2000	Denmark DVR90	Germany DHHN2016
Poland PL-EVRF2007-NH	Lithuania LAS07	Latvia LAS2000,5
Estonia EH2000	Finland N2000	Norway NN2000

## ➤ **Chart datum name to be shown in paper charts and for water level information:**

Mean Sea Level (Baltic Sea Chart Datum 2000<sup>national realization name</sup>)

or

Mean Sea Level (Baltic Sea Chart Datum 2000)

or

Baltic Sea Chart Datum 2000<sup>national realization name</sup>

or

Baltic Sea Chart Datum 2000

or

BSCD2000 (national realization name)

or

BSCD2000

CHART DATUM: Mean Sea Level (Baltic Sea Chart Datum 2000<sup>RH2000</sup>)  
REFERENSNIVÅ: Medelvattenyta (Baltic Sea Chart Datum 2000<sup>RH2000</sup>)  
SYMBOLS and ABBREVIATIONS: see INT 1  
BETECKNINGAR och FÖRKORTNINGAR: se KORT 1

Referensnivå




# Baltic Sea Chart Datum 2000 in IHO Registry

**BSCD2000 is now included in IHO Geospatial Information (GI) Registry, as chart datum number 44:**

The screenshot shows the IHO Geospatial Information Registry Data Dictionary Register page. The page header includes the IHO logo and the text 'IHO Geospatial Information Registry'. The main content area displays the 'Data Dictionary Register' with various filters and a search bar. The filters show: Feature Type 366, Information Type 26, Attribute Type 667, Complex Type 92, Enumeration Value 2273, and Codelist Value 117. The search bar is set to Domain: ALL, Status: Valid, Type: ALL, and Category: Name. Below the filters, the '[Listed Value] Dictionary Details' are shown for 'Baltic Sea Chart Datum 2000'.

[Listed Value] Dictionary Details					
Domain	IHO Hydro				
Name	Baltic Sea Chart Datum 2000				
CamelCase	balticSeaChartDatum2000				
Item Identifier	1213 ?				
Definition	The datum refers to each Baltic country's realization of the European Vertical Reference System (EVRS) with land-uplift epoch 2000, which is connected to the Normaal Amsterdams Peil (NAP).				
Data type	Enumerated value				
Associated Attribute	<table border="1"><thead><tr><th>Attribute type</th><th>Name</th></tr></thead><tbody><tr><td>Enumerated type</td><td><a href="#">Vertical Datum</a></td></tr></tbody></table>	Attribute type	Name	Enumerated type	<a href="#">Vertical Datum</a>
Attribute type	Name				
Enumerated type	<a href="#">Vertical Datum</a>				
Reference					
Reference Source	Baltic Sea Hydrographic Commission				

COPYRIGHT © IHO Geospatial Information Registry. ALL RIGHTS RESERVED.  
KHOA Acknowledgements





# International Hydrographic Review Article

An article on the CDWCGW work and the implementation of the Baltic Sea Chart Datum 2000 has been published in the International Hydrographic Review (IHR) in May 2020: [THE BALTIC SEA CHART DATUM 2000 \(BSCD2000\) - Implementation of a common reference level in the Baltic Sea](#)

INTERNATIONAL HYDROGRAPHIC REVIEW MAY 2020

**Articles**

## THE BALTIC SEA CHART DATUM 2000 (BSCD2000) Implementation of a common reference level in the Baltic Sea

By J. Schwabe<sup>1</sup>, J. Ägren<sup>2</sup>, G. Lebesch<sup>3</sup>, P. Westfeld<sup>4</sup>, T. Hammarik<sup>5</sup>, J. Mononen<sup>6</sup> and G. B. Andersen<sup>7</sup>

1. Federal Agency for Cartography and Geodesy (Germany)
2. University of Gävle (Sweden) and Lantmäteriet, the Swedish mapping, cadastral and land registration authority (Sweden)
3. Federal Maritime and Hydrographic Agency (Germany)
4. Swedish Maritime Administration (Sweden)
5. Finnish Transport Agency (Finland)
6. DTU Space (Denmark)

**Abstract**

The Baltic Sea Chart Datum 2000 (BSCD2000) is a geodetic reference system adopted for Baltic Sea hydrographic surveying, hydrographic engineering, nautical charts, navigational publications and water level information. It is based on the common geodetic standards for the height system (EVRS) and the spatial reference system (ETRS89) in Europe. In particular, the zero level of BSCD2000 is in accordance with the Normal Amsterdam Peil (NAP). BSCD2000 is about to be adopted as unified chart datum by all the countries around the Baltic Sea. It agrees with most national height realizations used on land. BSCD2000 will facilitate effective use of GNSS methods like GPS, GLONASS and Galileo for accurate navigation and hydrographic surveying in the future.

**Résumé**

Le Baltic Sea Chart Datum 2000 (BSCD2000) est un système de référence géodésique adopté pour les levés hydrographiques, l'ingénierie hydrographique, les cartes marines, les publications nautiques et les informations sur le niveau de l'eau de la mer Baltique. Il est basé sur les normes géodésiques communes au Système de Référence Vertical Européen (EVRS) et au Système de Référence Terrestre Européen (ETRS89). En particulier, le zéro hydrographique du BSCD2000 est conforme au Normal Amsterdam Peil (NAP). Le BSCD2000 est sur le point d'être adopté en tant que niveau de référence des cartes commun par l'ensemble des pays bordant la mer Baltique. Il correspond à la plupart des mesures de hauteur nationales utilisées à terre. Le BSCD2000 facilitera l'utilisation efficace des méthodes du GNSS comme le GPS, GLONASS et Galileo pour une navigation et des levés hydrographiques précis à l'avenir.

INTERNATIONAL HYDROGRAPHIC REVIEW MAY 2020

### 4. Practical implications

New nautical products that use BSCD2000 are identified by the chart datum name BSCD2000<sup>100</sup>, where <sup>100</sup> denotes the respective national height system realization according to **Table 2** (e.g., BSCD2000<sup>FINN</sup> for Sweden).

The main consequence for the mariner is that the charted depth in BSCD2000 changes by a constant value compared to the old zero level. The offset is individual per country or per map sheet, depending on the former MSL-related chart datum. In most cases, this offset will be negative, since the new zero level of the BSCD2000 is in general below the present day MSL for the Baltic Sea (see **Figure 6** for a generalized visualization and **Figure 7** for a map of the national MSL realizations currently in use). However, for charts of areas strongly affected by postglacial uplift and referring to very old MSL realizations, the change to BSCD2000 may be considerable. **Figure 7** gives an impression of the land uplift rates according to the model NKG2016LU (Vestral et al. 2016).

**Figure 6:** Schematic cartoon of the old MSL-based chart datum and the new BSCD2000

At the same time, real-time water level information (water level observations, corrections to the charted depths, forecasts, etc.) will also be changed accordingly to comply with the new chart datum. This also allows for a better and easier monitoring and prediction of the current and future sea states out at sea, since real-time oceanographic models can be simply interpolated (**Figure 8**), whereas switching between the sometimes far-distant mareographs and their local references may introduce a large error margin (**Figure 9**).

The transition from the numerous MSL-based chart datums of each country to BSCD2000 is a complex and stretched process from the first decisions to the final implementation in the chart products. In particular, paper charts need longest to be switched due to the long production cycles. Some countries, like Estonia, have already informed mariners about the changes to BSCD2000 and have published the first products. Others, like Denmark, are about to formally

INTERNATIONAL HYDROGRAPHIC REVIEW MAY 2020

adopt BSCD2000 as the name of their chart datum without having to actually change their charted depths. Therefore, this section only gives an overview about the general situation in the respective countries. **Table 2** summarizes the national geodetic reference frames, positioning services and HRS realizations that can be used with BSCD2000. Regularly updated details about the implementation status as well as instructions for users, e.g. leaflets, are provided via the CDWG website (<http://www.baltic.pro/working-groups/dwg/>).


In **Sweden and Finland**, a calculated MSL has been used as reference level (chart datum) for nautical charts and water level information. The reference level for regularly updated epochs (estimated present-day MSL) was estimated from long time series of annual mean values of mareograph observations. Depths from printed charts needed to be converted semi-automatically by means of a correction formula in order to correct for the time difference and to make the charted depth compatible with the provided water level information. As motivated in **Section 2**, this two-step approach implied a lot of work to keep the nautical products updated and consistent. At the same time, it was not straightforward and error-prone for the mariner.

Thus, decisions to make a transition to BSCD2000 in Sweden and Finland have come a long way. In Sweden, both water level information and 50% of all nautical charts are now using BSCD2000. In Finland, part of the bathymetric and chart data have already been transformed to BSCD2000. Water level information is ready to be provided in BSCD2000 when first charts will be published in the new datum. **Figure 7** details the estimated height of the current calculated MSL relative to BSCD2000 for selected mareographs in Sweden and Finland.

**Figure 7:** Differences between the reference levels of the old national chart datums with respect to Baltic Sea Chart Datum (BSCD2000) in Sweden and Finland; the old reference levels are equal to the calculated MSL in the year 2020 (according to different national conventions). The values from Norway shows the MSL over the period 1996-2014, values BSCD2000<sup>FINN</sup> in Estonia, Latvia and Lithuania; the Kronstadt reference level is used as old chart datum. In Poland, the local Polish Height System Amsterdamsk NMu is used as chart datum. Notice how postglacial rebound reduces the magnitude of the calculated MSL, relative BSCD2000 in the Bay of Bothnia; it is now just a few cm close to the location of maximum uplift. The values are taken from BOOS (2020).

# Continuity Management of BSCD2000

## Organizational scheme and workflow



## BSCD2000 height transformation grid (geoid model)

### Release note:

<https://doi.org/10.58440/ihr-29-2-n11>

### Landing page:

<https://www.bshc.pro/iho-bscd2000>

## Digital Object Identifier (DOI) with download

DOI: 10.58440/iho-bscd2000

URL: <https://doi.org/10.58440/iho-bscd2000>

The DOI has been configured as type 'database'. In perspective, we can assign any number of "datasets" to a "database". This means that each new BSCD2000 release can have its own entry.

We can also assign literature references (definition, specification, publications etc.) in the future.




# Swedish height systems



- **RH00 National height system 1900**  
Official national height system until 1970  
Zero-level defined by:  
Normal height point in Stockholm from 1886  
Placed +11,800 m above mean sea level in Stockholm 1900



- **RH70 National height system 1970**  
Official national height system 1970-2005  
Zero-level defined by:  
Normaal Amsterdams Peil (NAP), a reference point in Varberg placed +4,234 m above NAP




- **RH 2000 National height system 2000**  
"Baltic Sea Chart Datum 2000 (BSCD2000)"  
Official national height system since 2005  
Zero-level defined by:  
NAP is the reference point in the European Vertical Reference System (EVRS)  
Epoch year 2000



# Status transition from MSL to BSCD2000 in nautical charts

## Chart Improvement Project (status 2024-03-19)



### Stages

- 1) Finnish border - Norrköping
- 2) Ystad - Brofjorden
- 3) Norrköping - Simrishamn
- 4) Brofjorden - Norwegian border

# Implementation status Baltic Sea 2024

## Summary implementation of BSCD2000, S-104 and S-111 status 2024:

Country	Status BSCD2000 for charts	Status BSCD2000 for water level (see <a href="#">mwreg_boos</a> )	Status S-104/S-111
<a href="#">Denmark</a>	Chart datum in practice close to EVRS-based chart datum (DVR90). BSCD2000 is implemented in ENC and will be implemented in paper charts in the order of reprinting.	All Danish water level stations are connected to DVR90 (BSCD2000). <b>Data distributed to BOOS/CMEMS in relation to DVR90.</b>  Responsibility of Danish Meteorological Institute (DMI), Danish Coastal Authority (Kystdirektoratet) and Danish Environmental Protection Agency (Miljøstyrelsen).	DMI and FCOO (Forsvaret Center for Operativ Oceanografi) is responsible for water level and current information. Aim to have a plan for S-104 and S-111 in 2024.  DGA and DMI coordinates the work.
<a href="#">Estonia</a>	All decisions are taken and the implementation is ongoing. Official use in charts and water level information from 2018-01-01. <a href="#">Notices to Mariners 2022-12-01</a> . <a href="#">Info Sheet</a> . Web application <a href="#">Nutimeaj</a> displays Estonian Transport Administration's official electronic navigational charts.	All Estonian water level stations are connected to EH2000 (BSCD2000). <b>Data distributed to BOOS/CMEMS in relation to BK77 (old system).</b> The difference between BK77 and EH2000 reaches up to 26 cm in the Gulf of Finland.  Responsibility of Taltech Marine Systems Institute (MSI) and Estonian Environmental Agency (EEA).	Discussions are ongoing between EMA and MSI. MSI and EEA are responsible for water level and current information.  EMA coordinates the work.
<a href="#">Finland</a>	Ongoing. All decisions are taken already in 2008 and 2015. Approach charts from Tornio to Vaasa have been published. <a href="#">The publication status of N2000 charts</a> and <a href="#">Finnish nautical charts portfolio</a> . <a href="#">New video</a> about the N2000 fairway and nautical chart reform.	Water level information provided in both systems, mean sea level (MSL) and N2000 (BSCD2000). The differences between MSL and N2000 is provided as a <a href="#">Table</a> . Water level observations and forecasts will be available in N2000 for the public simultaneously with Traficom nautical charts. <b>Data distributed to BOOS/CMEMS in relation to MSL.</b>  Responsibility of Finnish Meteorological Institute (FMI).	The first test products of S-104 and S-111 will be created by FMI in the Baltic Sea e-Nav-project until 2026. FMI is responsible for water level and current information.  Traficom and FMI coordinates the work.
<a href="#">Germany</a>	EVRS realization in use in practice. The vertical chart datum of BSCD2000 is close to the national height system of Germany (ETRS1989+DHHN2016). All published products will refer to this datum. In August 2021, BSCD2000 was officially introduced as <a href="#">chart datum for German waters in the Baltic Sea</a> . The official introduction was decreed in January 2018 and is binding for all institutions coming under the jurisdiction of the Federal Waterways and Shipping Administration (WSV).	All German water level stations refers to the national height system DHHN2016 (BSCD2000). <b>Data distributed to BOOS/CMEMS in relation to DHHN2016, but metadata refers to SNN76/Kronstadt (old system).</b>  Responsibility of Federal Waterways and Shipping Administration (WSV).	BSH is responsible for water level and current information.  BSH coordinates the work.
<a href="#">Latvia</a>	Implementation continues. New national height system LAS-2000,5 (BSCD2000) into use in 2015. LAS-2000,5 to new editions of charts in a following sequence – harbour charts, coastal charts, general charts. Harbour charts are either already implemented to LAS-2000,5 or they are in progress. Differences between BAS-77 and LAS-2000,5 is well known and shown in chart notes.	All water level stations is connected to LAS-2000,5 (BSCD2000). <b>Data distributed to BOOS/CMEMS in relation to LAS-2000,5.</b>  Responsibility of Latvian Environment, Geology and Meteorology Centre (LVGMC).	Meeting between MAL and LVGMC officials has been held about S-104 and S-111.  MAL coordinates the work.
<a href="#">Lithuania</a>	National height system LAS-07 (BSCD2000) came into force 2016-01-01. BHS-77 still used. The difference between BHS-77 and LAS-07 is well known (about 13 cm) and is also written in nautical charts.	All water level stations is connected to LAS-07 (BSCD2000). <b>Data distributed to BOOS/CMEMS in relation to BHS-77 (old system).</b>  Responsibility of Lithuanian Hydrometeorological Service (LHMS).	Data owner has been identified. LHMS is responsible for water level information and Klaipėda University (KU) for currents.  LTSA coordinates the work.
<a href="#">Poland</a>	A written decision was issued by HOPN in July 2021 - Guidelines and timetable for the implementation of PL-EVRF2007-NH (BSCD2000). Bathymetric data transferred to the vertical reference system PL-EVRF2007-NH. Information campaign about the new chart datum. 2021 and onwards new editions of all INT harbour, approach and coastal charts.	<b>All water level stations is connected to PL-EVRF2007-NH (BSCD2000). Data distributed to BOOS/CMEMS in relation to Amsterdam NN55, but metadata refers to BHS77.</b> The difference between the NN55 and PL-EVRF2007-NH is less than 9 cm.  Responsibility of Institute of Meteorology and Water Management (IMGW-PIB).	Agreement with IMGW and Institute of Oceanology of the Polish Academy of Sciences (IOPAN) to provide observed and modelled water level and surface currents data, respectively.  HOPN coordinates the work.
<a href="#">Sweden</a>	Ongoing. All decisions are taken. Many charts (ca 50%) already published. Implementation is a part of the "Chart Improvement Project", to be concluded at the latest in 2030. Information campaigns is ongoing for ports, pilots and other interested parties. <a href="#">Notices to Mariners 2019-05-15</a> . Several articles written in magazines and on webpages.	All water level information is presented in relation to RH2000 (BSCD2000), since 2019-06-03. Some applications can also present data in relation to mean sea level (MSL). The differences between MSL and RH2000 is provided in this <a href="#">Table</a> . <b>Data distributed to BOOS/CMEMS in relation to BSCD2000.</b>  Responsibility of Swedish Maritime Administration (SMA) and Swedish Meteorological and Hydrological Institute (SMHI).	Discussions started between SMA and SMHI. SMA take part in the BS e-Nav-project in cooperation with FMI on this. We will investigate this in 2024 and take further actions in 2025.  SMA coordinates the work.

2024-03-26










# Swedish Sea Level Network

- Real-time data relative BSCD2000 from 60 stations
- 1-minute values with 1 cm accuracy
- Real-time and delayed mode quality control



Class I Upgrade with battery backup  
 Class II Upgrade without battery backup  
 Class III Unchanged, temporary

27 stations (23 SMHI, 3 SMA, 1 CTH)  
 27 stations (23 SMA, 3 GBG, 1 SKB)  
 6 stations (6 SMA)


Present water level information are shown in Wind- and Water Information ([ViVa](#))





# Upgrade of the Swedish Sea Level network 2017-2019

- One common and harmonised Swedish Sea Level network
- Upgrade and modernize 53 stations in the new network, two new sensors at all stations
- Sea level data of better accuracy, continuous time series
- Open and faster access to quality controlled real-time and archive data
- All stations connected to the land survey datum (RH 2000/BSCD2000)
- Partly financed by the EU-project FAMOS Odin. Leads to that the objectives of the FAMOS Odin is achieved: safer and more cost effective shipping routes




# Swedish Sea Level observations 1774-2024

- First observations started in Stockholm 1774
- 140 sea level stations/records, 60 stations are active (2024)
- 4998 years of observations, 4630 years of data are digitalized (93%)
- 2240 years from continued stations, 100% digitalized


High-Resolution data (1-15 minutes)

Hourly values


Daily values




# Observed mean sea level



# Highest observed sea level




# Lowest observed sea level



# Phenomena in Swedish Sea Level data


## Meteo-tsunami Ystad 11-12 July 1959






**Disturbance lasted about:** 6 hours  
**Largest difference between high and low:** 132 cm  
**Time between two highs or lows (period):** 10 minutes




# Meteo-tsunami Varberg 21<sup>st</sup> July 2022



S. Monserrat et al.: Meteotsunamis: atmospherically induced ocean waves





# The land-uplift lowers the mean sea level



# Co-location of sea level stations and GNSS in Sweden

RESPONSIBLE AGENCY		TIDE GAUGE COORDINATE CO-LOCATED INSTRUMENTS					GNSS COORDINATES		CO-LOCATED CRITERIA		LEVELING INFORMATION	
RESPONSIBLE FOR GNSS	RESPONSIBLE FOR TG	LONG	LAT	TIDE_GAUGE	GNSS_SONEL	GNSS_SWEPOS	LONG	LAT	INSTALLED	GNSS->TG HORIZONTAL DISTANCE (m)	TGBM_ID	DATUM DEFINITION
SWEPOS-LMV	SMHI	20.895031	63.986056	<a href="#">RATAN</a>	<a href="#">RATO</a>	RATA.0	20.89556580	63.98558831	2006-06-09	58	h	<a href="#">BSCD2000/RH2000</a>
SWEPOS-LMV	SMHI	18.081944	59.324167	<a href="#">STOCKHOLM</a>	<a href="#">OMOS</a>	MOSE.0	18.07420578	59.31842324	2013-07-11	373	a (LMV 108*2*6503)	<a href="#">BSCD2000/RH2000</a>
SWEPOS-LMV	SMHI	16.960556	58.484167	<a href="#">ARKO</a>	<a href="#">OARK</a>	ARKO.1	16.96265021	58.48327049	2019-08-26	158	101	<a href="#">BSCD2000/RH2000</a>
SWEPOS-LMV	SMHI	15.589444	56.105278	<a href="#">KUNGS HOLMSFORT</a>	<a href="#">KUNO</a>	KUNG.0	15.58903022	56.10423868	2004-12-31	108	a (LMV 035*2*3704)	<a href="#">BSCD2000/RH2000</a>
SWEPOS-LMV	Chalmers	11.919167	57.391944	<a href="#">ON S A L A</a>	<a href="#">ON S A</a>	ON S A.0	11.92551310	57.39529604	1993-07-01	533	827a	<a href="#">BSCD2000/RH2000</a>
SWEPOS-LMV	Chalmers	11.919167	57.391944	<a href="#">ON S A L A</a>	<a href="#">ON S 1</a>	ON S A.1	11.92453692	57.39533058	2012-01-28	496	827a	<a href="#">BSCD2000/RH2000</a>
SWEPOS-LMV	SMHI	11.217778	58.353611	<a href="#">SMOGEN</a>	<a href="#">SMO0</a>	SMOG.0	11.21792382	58.35346156	2002-08-26	18	g	<a href="#">BSCD2000/RH2000</a>

GNSS@TG < 1000.0 m for Sweden




# Stockholm

## “World’s longest sealevel record”


### Sealevel Stockholm 1774 - 2023

BSCD2000





# The sea level rise raises the mean sea level




Observed sea level change in Stockholm since 1889

Sea level corrected for the levelled land-uplift (glacial isostatic adjustment)

The black line shows the gauss-filtered (smoothed) average



# Mean Sea Level



Calculated mean sea level relative BSCD2000 for the years 2000, 2024, 2050 and 2100. \* incl. a predicted sea level rise, +1 m over the years 2020-2100 (IPCC 8,5) and correction for the levelled land-uplift.

[Mean sea level relative BSCD2000](#)



# Future sea levels





Thomas Hammarklint  
Hydrographic Office

PM

Published 2019-11-30  
Updated 2022-04-05

1 (10)


## Future sea levels in Sweden





In September 2019, the Intergovernmental Panel on Climate Change (IPCC), published a new special report; Assessment Report 6 (AR6) - Special Report on the Ocean and Cryosphere in a Changing Climate (SROCC), the recent predictions of the future sea level were presented. The headline statements states: "Global Mean Sea Level (GMSL) is rising, with acceleration in recent decades due to increasing rates of ice loss from the Greenland and Antarctic ice sheets (very high confidence), as well as continued glacier mass loss and ocean thermal expansion".

### Summary

Calculations of mean sea level, highest observed and estimated sea level for the years 2022, 2050 and 2100 have been conducted for 76 Swedish Sea Level stations (Figure 5, 6, 7 and Appendix Table 1). The results are based on analysis of historical observations of the sea level (SMHI Open Data Service) from 1886 to 2021, highest estimated sea level (SMHI Climatology No 45), data on the global sea level rise from the climate scenario RCP8.5 (likely scenario) in IPCC's special report (SROCC) and information about the leveled land-uplift from the Nordic Geodetic Commission (NKG) and the land-uplift model (NKG2016LU). All results are presented in Sweden's official land survey datum for depth, heights and sea level; Land Survey Datum 2000 (RH 2000). Estimated mean sea levels for the year 2100 are about 5-10 centimeters higher than the figures that Swedish Meteorological and Hydrological Institute (SMHI) previously presented per coastal municipality (pdf), which were based on data from the previous Assessment Report (ARS), published in 2014.



# Difference between old reference system and BSCD2000



BSCD2000 = Baltic Sea Chart Datum 2000, heights referred to Amsterdam (NAAP)  
 RH2000 = Swedish Height System 2000, heights referred to Amsterdam (NAAP)  
 \* = Correction of provided sea level data to BOOS to the Baltic Sea Chart Datum 2000 (BSCD2000)

COUNTRY	OWNER	NR	STATION NAME	LATITUDE	LONGITUDE	BSCD2000 RH2000 cm	Apparent (relative) to landuplift BSCD2000 cm/year	Correction * to BSCD2000 m
SWEDEN	SMHI	2588/33088	Haparanda discontinued	65.771667	23.903056	5.9	0.72	0.059
SWEDEN	SMA	59/35103	KALK KARLSBORG	65.788889	23.303333	6.1	0.72	0.061
SWEDEN	SMHI	2157/33051	KALK STORÖN	65.690944	23.096111	5.3	0.73	0.053
SWEDEN	SMA	115/35189	STRÖMÖREN	65.549722	22.238333	4.4	0.75	0.044
SWEDEN	SMHI	2055/33052	FURUÖGRUND	64.915833	21.230556	0.5	0.82	0.005
SWEDEN	SMA	40/35240	GÄSÖREN	64.678611	21.249167	0.8	0.82	0.008
SWEDEN	SMHI	2056/33053	RATAN	63.986111	20.895000	2.4	0.80	0.024
SWEDEN	SMA	57/35124	HÖLSUND	63.695833	20.347222	1.4	0.80	0.014
SWEDEN	SMHI	2323/33054	Skagvudde discontinued	63.190556	19.012500	-0.4	0.80	-0.004
SWEDEN	SMA	110/35138	SKAGSUDDE2	63.190556	19.012500	-0.4	0.80	-0.004
SWEDEN	SMA	172/35209	LUNDE	62.880556	18.783889	0.1	0.77	0.001
SWEDEN	SMHI	2062/33074	Dragnällan discontinued	62.333333	17.466667	0.7	0.74	0.007
SWEDEN	SMHI	2063/33055	SPARÖRN	62.363333	17.531111	0.7	0.74	0.007
SWEDEN	SMA	66/35127	LJUSNE ÖRRSKÄRSKÄJEN	61.206944	17.145556	3.5	0.64	0.035
SWEDEN	SMA	33/35119	BÖNAN	60.738611	17.318611	5.0	0.58	0.050
SWEDEN	SMA	60.696565	GÄVLÉ	60.696565	17.230972	5.0	0.58	0.050
SWEDEN	SMHI	2067/33075	Björn discontinued	60.633333	17.966667	5.6	0.56	0.056
SWEDEN	SMHI	2179/33056	FORSKÄRNE	60.400611	18.210833	6.3	0.53	0.063
SWEDEN	SMA	67/35154	LOUDDEN	59.341389	18.172222	8.4	0.38	0.084
SWEDEN	SMHI	2069/33057	STOCKHOLM	59.324167	18.081944	8.5	0.38	0.085
SWEDEN	SMA	179/35112	NYNÄS FÖRKEHAMN	58.917500	17.972222	8.1	0.31	0.081
SWEDEN	SMHI	2507/33058	LANDSBOTT NORRA	58.760889	17.838889	8.3	0.29	0.083
SWEDEN	SMHI	2073/33076	Landsbott discontinued	58.750000	17.866667	8.3	0.29	0.083
SWEDEN	SMA	34/35185	E4 BRON SÖDERTALJE	58.184722	17.642778	8.2	0.33	0.082
SWEDEN	SMA	10/35118	OXELÖSUND VINTERKLASEN	58.661667	17.124722	9.3	0.26	0.093
SWEDEN	SMA	58/35101	JÜTEN	58.634167	16.324722	9.8	0.25	0.098
SWEDEN	SMHI	2076/33059	Marviken discontinued	58.553611	16.837222	9.8	0.25	0.098
SWEDEN	SMHI	2545/33085	ARKÖ	58.484167	16.960556	9.8	0.25	0.098
SWEDEN	SMA	93/35151	VÄSTERVIK	57.748333	16.675278	11.0	0.16	0.110
SWEDEN	SMA	81/35114	SUTE	57.709833	18.810000	9.0	0.12	0.090
SWEDEN	SMHI	2080/33060	VISBY	57.639167	18.284444	9.0	0.12	0.090
SWEDEN	SKB	77/33200	SIMPELVARP	57.410278	16.675833	11.7	0.12	0.117
SWEDEN	SMHI	2083/33061	ÖLANDS NORRA UDDE	57.366111	17.097222	11.6	0.12	0.116
SWEDEN	SMHI	2085/33062	ÖSKARSHAMN	57.275000	16.478056	12.0	0.10	0.120
SWEDEN	SMA	60/35105	KALMAR	56.658889	16.378333	12.5	0.06	0.125
SWEDEN	SMHI	2086/33063	KUNGSÖLMSFORS	56.105278	15.589444	13.3	0.01	0.133
SWEDEN	SMA	61/35131	KARLSHAMN	56.154167	14.821389	13.8	-0.01	0.138
SWEDEN	SMHI	2543/33083	Åhus discontinued	55.928333	14.328611	15.1	-0.05	0.151
SWEDEN	SMHI	2320/33064	SIMRISHAMN	55.557500	14.357778	16.0	-0.08	0.160
SWEDEN	SMHI	2093/33078	Ystad discontinued	55.420944	13.825833	15.8	-0.07	0.158
SWEDEN	SMA	94/35159	YSTAT2	55.422778	13.823556	15.8	-0.07	0.158



Fig. 4b: Differences between the reference levels of the old national chart datums with respect to Baltic Sea Chart Datum 2000 (BSCD2000). In Sweden and Finland, the old reference levels are equal to Mean Sea Level transferred to year 2023 (according to different national conventions). The values from Norway shows the Mean Sea Level over the period 1996-2014, relative BSCD2000. In Estonia, Latvia and Lithuania, the Kronstadt reference level is used as old chart datum. In Poland, the local Polish Height System Amsterdam NN<sub>55</sub> is used as chart datum. Notice how postglacial rebound reduces the magnitude of the mean sea level in the Bay of Bothnia. The values are shown in this [Table](#).



# Reference levels in Skagerack

- Norwegian reference datum (LAT-20) ca 50-60 cm below BSCD2000
- Danish LAT ca 30 cm below BSCD2000

Chart datum Skagerack (Swedish-Norwegian border)








# New reference level in Sweden

SMA and SMHI presents sea level data relative BSCD2000 since 3rd June 2019



# SMHI oceanographic warning and forecasting service

- A transition to BSCD2000 (RH 2000) has been implemented at SMHI, where forecasts, warnings and current sea level are issued relative BSCD2000.
- A new impact-based and regional adapted warning system has also been introduced, which includes yellow, orange and red warning, where red is the most serious.

Högt vattenstånd   			
Varningsnivå	Gul	Orange	Röd
Område	cm i RH 2000		
<b>Grupp 1</b> (Västra Götalands län, Hallands län, Skåne län)	90	130	180
<b>Grupp 2</b> (Kalmar län, Östergötlands län, Gotlands län, Södermanlands län, Stockholms län)	80	110	-
<b>Grupp 3</b> (Blekinge län, Uppsala län, Gävleborgs län, Västernorrlands län)	90	130	-
<b>Grupp 4</b> (Västerbottens län, Norrbottens län)	100	150	-


Lågt vattenstånd 	
Varningsnivå	Gul
Område	cm i RH 2000
Skagerrak, Kattegatt, Södra Östersjön, Mellersta Östersjön, Norra Östersjön, Ålands hav	-80
Sydvästra Östersjön, Öresund, Bälten	-50
Södra Bottenhavet, Norra Bottenhavet, Norra Kvarnen, Bottenviken	-90



# Nautical charts with chart datum MSL

CHART DATUM: Mean Sea Level (MSL) 1985  
REFERENSNIVÅ: Medelvattenyta (MVY) 1985  
LAND UPLIFT/LANDHÖJNING 0.3 cm annually / per år  
SYMBOLS and ABBREVIATIONS: see INT 1  
BETECKNINGAR och FÖRKORTNINGAR: se KORT 1

## Nautical charts with chart datum MSL



\* Correction of charted depths due to land-uplift  
(0,3 cm/year multiplied by number of years since 1985)

Bottom






# Nautical charts with chart datum BSCD2000


CHART DATUM: Mean Sea Level (Baltic Sea Chart Datum 2000<sup>TM</sup>)  
REFERENSNIVÅ: Medelvattenyta (Baltic Sea Chart Datum 2000<sup>TM</sup>)  
SYMBOLS and ABBREVIATIONS: see INT 1  
BETECKNINGAR och FÖRKORTNINGAR: se KORT 1




## Nautical charts with chart datum BSCD2000



# Transition to RH 2000/BSCD2000 in charts and sea level




# Transition to RH 2000/BSCD2000 in charts and sea level



# Transition to RH 2000/BSCD2000 in charts and sea level

BSCD2000 (m)

Göteborg 2024



# Notices to Mariners (NtM)

\* 14040

**Sweden. not area bound. New reference system for sea level, nautical charts and warnings. BSCD2000 / RH 2000.**

Expired notices: 2019:754/13917

See: 2018:716/13140

As of June 3, 2019, the Swedish national height system 'Rikets Höjdsystem 2000', or RH 2000 (international name 'Baltic Sea Chart Datum 2000', BSCD2000) will constitute the reference level for observations and forecasts of the water level in Swedish waters.

The zero level in RH 2000 is fixedly linked to land, and is not affected by land uplift, changes in sea level or geographical variations.

The change means that observations, forecasts, and warnings in the Swedish Maritime Administration's and Swedish Meteorological and Hydrological Institute's (SMHI) viewing services from 3 June 2019, or soon thereafter, refer to the new reference level and no longer to the 'mean sea level'.

The Swedish Maritime Administration is gradually adapting the charts to the new reference system. This is a time consuming process which will take several years to complete. During the transition period, it is important to know which reference level is used in the different charts. If the text 'Baltic Sea Chart Datum 2000', or 'BSCD2000' is printed in the chart, the update has been performed.

More information: [www.sjofartsverket.se/RH2000](http://www.sjofartsverket.se/RH2000) and [www.smhi.se](http://www.smhi.se)

[www.sjofartsverket.se/RH2000](http://www.sjofartsverket.se/RH2000) [www.smhi.se](http://www.smhi.se)

*SMHI och Sjöfartsverket. Publ. 15 May 2019*



# New info sheets about the transition to BSCD2000 as the new reference level for sea level, nautical charts and warnings


## Svensk



## English



# A uniform reference system from land to sea



**SMHI**


Illustration Veronica Wärm SMHI



# Future Maritime Services S-100




IHO



# IHO S-100 Implementation

## IHO S-100 Implementation Strategy


Table A – IHO list of S-100 products with special focus	
First step – Route monitoring mode	
S-101	Electronic Navigational Chart (ENC)
S-102	Bathymetric Surface
S-104	Water Level Information for Surface Navigation
S-111	Surface Currents
S-124	Navigational Warnings
S-129	Under Keel Clearance Management
Critical Framework	
	IHO Geospatial Information Registry
S-98	Interoperability Specification
S-100	Universal Hydrographic Data Model
S-128	Catalogue of Nautical Products
S-164	Test Data Set for S-100 and ECDIS Type Approval
Second step – Route planning mode	
S-122	Marine Protected Areas
S-123	Marine Radio Services
S-125	Marine Aids to Navigational (AtoN)
S-126	Marine Physical Environment
S-127	Marine Traffic Management
S-131	Marine Harbour Infrastructure



This S-100 timeline is updated: July 9th, 2023.



# Dynamic S-100 products (S-104, S-111 and S-129)

## Real Time Hydrographic and Environmental Information Service





# Sealevels Göteborg (potential S-104 product)

**Sealevels Göteborg**  
**2023-05-23 to 2023-06-06**  
**Issued: 2023-06-02 02:00 UTC**  
**BSCD2000**





# Currents Göta River (potential S-111 product)





# Future Navigation





# Thanks!



Thomas Hammarklint

Swedish Maritime Administration (SMA)

[Thomas.Hammarklint@sjofartsverket.se](mailto:Thomas.Hammarklint@sjofartsverket.se)